CourseMints

GUIDE

Anti-Stress System

Calm in Any Situation

SELF-PACED PDF COURSE

COURSEMINTS.COM

CourseMints

Anti-Stress System

Calm in Any Situation

COPYRIGHT

© 2026 CourseMints. Published by Morvex Corporation Limited, Studio No. 28, 2 Old Brompton Road, London, England, SW7 3DQ. Registry Nr: 17034959. info@coursemints.com

All rights reserved. No part of this guide may be reproduced, stored or transmitted in any form without written permission from the publisher, except as allowed by the license below.

YOUR LICENSE

This guide is licensed to the buyer for personal use. You may download it, read it on any of your devices and print as many copies as you need for yourself. Please do not resell, share, upload or redistribute it, in whole or in part.

DISCLAIMER

This guide is for educational purposes only and is not medical advice. It does not diagnose, treat or replace care from a qualified health professional. Talk to your doctor before you change any treatment, medication or care plan, and get help promptly for any symptom that worries you.

INSIDE THIS GUIDE

Contents

	How to Use This Guide	4
CHAPTER 1	How Stress Works	7
CHAPTER 2	Read Your Own Stress	12
CHAPTER 3	Calm Your Breath	16
CHAPTER 4	Calm Your Body	21
CHAPTER 5	Rethink the Threat	26
CHAPTER 6	Tame the Worry Loop	31
CHAPTER 7	Solve, Accept or Let Go	36
CHAPTER 8	Lifestyle Buffers	41
CHAPTER 9	Building Long-Term Resilience	46
CHAPTER 10	Playbook: Pressure at Work	50
CHAPTER 11	Playbook: Conflict and Hard Conversations	53
CHAPTER 12	Playbook: Public Speaking and Performance	57
CHAPTER 13	Playbook: Panic and Acute Anxiety	60
CHAPTER 14	When Anxiety Needs Professional Help	63
CHAPTER 15	Your Personal Anti-Stress System	66
	Appendix: Quick Reference	68

How to Use This Guide

Stress is not a character flaw and it is not something you can switch off by deciding to relax. It is a fast, automatic body response, shaped by how you read the situation in front of you and by how well rested and supported you are when it arrives. That gives you three places to step in, and this guide is built around all three.

The three layers of the system

Layer	What it targets	How long it takes	Chapters
1. Settle	The body's alarm: heart rate, breathing, muscle tension	30 seconds to 5 minutes	Calm Your Breath, Calm Your Body
2. Shift	How you read the situation: threat, worry, the problem itself	5 to 20 minutes	Rethink the Threat, Tame the Worry Loop, Solve, Accept or Let Go
3. Strengthen	How much stress it takes to knock you off balance	Weeks, built daily	Lifestyle Buffers, Building Long-Term Resilience

The order matters. When stress is high, settle the body first, because a racing heart makes clear thinking much harder; then the thinking tools can work. The third layer decides how often you need the first two.

Then come four **playbooks** (work pressure, conflict, public speaking and panic) with steps for before, during and after, a chapter on when anxiety needs professional help, and a final chapter where you assemble your own one-page system.

How each chapter works

Each chapter explains why the tools work, gives numbered steps, lists common mistakes, shows an example, and ends with an exercise and Key Takeaways. The people in the examples are fictional composites written to show how the tools work in real life; they are not real customers or testimonials.

The companion files

- **The Workbook** holds the longer exercises for each chapter and your one-page personal plan.
- **The Planner** holds the pages you will reuse: the daily stress log, the trigger map, the weekly resilience plan and an emergency calm card to cut out and carry.

A realistic plan for the first four weeks

A pace that works for most people:

- **Week 1:** read the first four chapters. Start the stress log in the Planner. Practice one breathing tool and one body tool every day, when you are calm, for 3 to 5 minutes.
- **Week 2:** read the three Shift chapters. Do one thought record a day on a real stressful moment. Start scheduled worry time if worry is a big part of your stress.
- **Week 3:** read the two Strengthen chapters. Choose two lifestyle buffers to change and fill in your first Weekly Resilience Plan.
- **Week 4:** read the playbooks that fit your life and the help chapter. Build your personal system and fill in your emergency calm card.

> TIP
>
> **Practice when you are calm**
>
> The tools in this guide work best in a crisis if you have rehearsed them when nothing is wrong. A breathing pattern you have practiced fifty times on a quiet evening is available to you in a tense meeting. One you read about once is not.

CHAPTER 1

How Stress Works

01

You have an alarm system built for one job: getting you ready to act, fast, when something important is at stake. It was not designed for emails at 11 pm or a mortgage renewal. Understanding it changes how you read your own reactions: a pounding heart before a presentation stops being a sign that something is wrong with you and becomes what it is, a body getting ready.

The alarm: two systems, two speeds

When your brain detects a threat or a challenge, two systems switch on.

The fast system (seconds). Your sympathetic nervous system, the accelerator, fires and your adrenal glands release adrenaline (epinephrine). Your heart beats faster, breathing speeds up, muscles tense, digestion slows, you may sweat, and attention narrows onto the threat. This is the fight-or-flight response, first described by the physiologist Walter Cannon more than a century ago. It can also show up as freezing: going blank, feeling stuck or numb.

The slower system (minutes). The hypothalamus, pituitary and adrenal glands (together called the HPA axis) release cortisol. Cortisol rises over the following minutes and makes energy available, then falls back after a short stressor. It is not a villain: it also follows a normal daily rhythm, highest in the morning.

The brake. Your parasympathetic nervous system is the counterweight, sometimes called rest and digest. Its main pathway to the heart is the vagus nerve, which slows the heart rate. You cannot press it by willpower, but you can reach it indirectly, most reliably through slow breathing with a longer out-breath.

Why the same event stresses different people differently

Psychologists Richard Lazarus and Susan Folkman described stress as a transaction between a person and a situation. Before the alarm fires, you make two fast, often unconscious judgments:

1. **What is at stake?** Is this a threat, a loss, a challenge, or irrelevant to me?
2. **Can I cope?** Do I have the skills, time, support and resources to handle it?

Stress rises when the stakes feel high and your resources feel low, which is why the same deadline feels fine in a good week and impossible in a bad one. The Shift layer works on the first judgment (is it really that big a threat?) and the Strengthen layer on the second (more skill, more support).

Stress versus anxiety

The words overlap, but the difference is useful.

	Stress	Anxiety
Focus	A demand happening now or soon	A possible threat in the future, often uncertain
Typical thought	“I have too much to do”	“What if something goes wrong?”
When it fades	Usually when the demand ends	It can continue with no clear trigger
When it becomes a problem	When it never switches off	When it is excessive, persistent and gets in the way of life

Both run on the same alarm, so the same Settle tools help with both. When anxiety is intense, frequent and hard to control for months, it may be an anxiety disorder, which is common and very treatable (see the help chapter).

Useful stress and harmful stress

Some arousal helps: it sharpens attention and gives you energy for an exam or a deadline. Too much narrows attention and pushes you toward rigid, impulsive or avoidant choices. The popular “inverted U” curve is a simplification of older research, but it matches experience: there is a range in which you work well, and above it you do not.

The real damage comes from stress that never switches off. The neuroscientist Bruce McEwen called the wear and tear of a stress system that is activated too often, or too long, **allostatic load**. Persistent stress is linked to poorer sleep, headaches and muscle pain, digestive problems, higher blood pressure, and higher risk of depression and anxiety disorders. So the aim is not to never feel stress. It is to respond in proportion, recover afterward, and stop the alarm firing for things that do not deserve it.

THE SCIENCE

Why the body comes first when stress is high

Research on stress and the brain, including work by the neuroscientist Amy Arnsten, shows that high levels of stress chemistry weaken the functions of the prefrontal cortex: planning, flexible thinking and self-control. Simple, practiced responses still work, which is why emergency services drill procedures until they are automatic. So at 8 out of 10, do not try to argue yourself calm: use a body tool first, one you have rehearsed until it is automatic.

How stress shows up

Stress arrives as a set of signals, and most people have a personal pattern.

Body	Mind	Emotions	Behavior
Tight jaw, shoulders or chest	Racing or looping thoughts	Irritability, short temper	Snapping at people
Fast heartbeat, shallow breathing	Trouble concentrating	Feeling overwhelmed	Procrastinating or overworking
Upset stomach, appetite changes	Forgetting things	Dread, unease	More caffeine, alcohol, scrolling or snacking

CourseMints

WORKBOOK

Anti-Stress System Workbook

Exercises, Trials and Worksheets for Every Chapter

COMPANION TO ANTI-STRESS SYSTEM

INSIDE THIS WORKBOOK

Contents

	How to Use This Workbook	4
PART 1	Understand Your Stress	6
PART 2	Settle	11
PART 3	Shift	15
PART 4	Strengthen	24
PART 5	Playbooks	29
PART 6	Help and Your Plan	34

PART 1

Understand Your Stress

1

These four exercises map how stress shows up in you, what is loading you right now, and what your personal 0 to 10 scale means. They go with Guide chapters 1 and 2.

How Stress Works

EXERCISE

1.1 Your Stress Signature

Tick every signal you notice when you are stressed. Then circle the three that usually show up **first**: those are your early warnings.

Body

- [ ] Tight jaw, teeth clenching
- [ ] Raised or tight shoulders, neck pain
- [ ] Fast heartbeat or pounding heart
- [ ] Shallow or fast breathing, sighing a lot
- [ ] Upset stomach, nausea, appetite change
- [ ] Headaches
- [ ] Sweaty or cold hands
- [ ] Trouble falling or staying asleep

Mind

- [ ] Racing or looping thoughts

CourseMints

PLANNER

Anti-Stress System Planner

Printable Logs, Maps, Weekly Plans and Your Emergency Calm Card

COMPANION TO ANTI-STRESS SYSTEM

SELF-PACED PDF COURSE

COURSEMINTS.COM

INSIDE THIS PLANNER

Contents

	How to Use This Planner	4
PART 1	**Everyday Pages**	6
PART 2	**Plan and Review**	10

PART 1

Everyday Pages

1

A number and a few words is enough. Print one Daily Stress Log per week.

Daily Stress Log

Week of: _____ **My check-in times:** _____

	Mon	Tue	Wed	Thu	Fri	Sat	Sun
Check-in 1 (0 to 10)							
Check-in 2 (0 to 10)							
Check-in 3 (0 to 10)							
Main spark today							
Tool I used							
Rating 20 min later							
Hours slept last night							
Caffeine and alcohol (amount and time)							
Movement (minutes)							
Daily practice done? (Y/N)							

Green 0 to 3: practice. **Amber** 4 to 6: Settle, then Shift. **Red** 7 to 10: Settle only, no decisions.